

Diesel Pump Specialist

MODEL. : EDJ-50-12-DEF CAPACITY : 500 Gpm HEAD. : 120 M



Diesel Fire Pump Set (EDJ)





EDJ engine Model DEJ-50-12-DEF

The DEJ 50-12-DEF Diesel Fire Pump Set is a reliable system designed to combat fires efficiently, boasting a capacity of 500 gallons per minute and a head of 120 meters.

Overall, the DEJ 50-12-DEF Diesel Fire Pump Set combines power, efficiency, and reliability to provide effective fire suppression capabilities, safeguarding lives and property against fire hazards.

Diesel Engine

Unit	Diesel Engine
Model	4DEF 3.8TDI
Brand	Defender
Number of cylind	4
Туре	Turbo with Cooling
Max power	100 kw
Aux power	75 kw
Speed	3000 Rpm
Bore x Stroke	102 x 118 mm
Cap oil	12 L
Injection type	Mechanical
Displacemant	2.585 L
Weight	+/- 625 kg

Head Pump

Model	100 x 65 FSKA
Brand	Ebara
Inlet & outlet	4 x 2.5 Inch
Power pump	75 kw
Speed	3000
Chasing	Cast Iron
Shaft	403 Stainless Steel
Seal	Ceramic/Carbon/NBR
Impeller	Bronze Casting (CAC406/BC60)
Weigth	Weigth





Electric Fire Pump

Electric Pump 500 gpm 120 m

The electric fire pump with a capacity of 500 gallons per minute and a head of 120 meters is a reliable solution for fire suppression. Here are the specifications:



Auxiliary Pump Power: 75 KWElectrical Motor Brand: Defender

Motor Type: DEF 280S-2Power: 75 KW / 100 HPSpeed: 3000 - 2P

This electric fire pump, equipped with a powerful Defender motor, efficiently delivers water to extinguish fires with precision and speed. Its high capacity and head make it suitable for various fire suppression applications, ensuring effective firefighting in diverse environments.





Electric Motor

Model	DEF 280S-2
Brand	Defender
Capacity	500 - 120
Phase - Frequency	3 Phase - 50 Hz
Speed	3000
Voltage	380
Power	75 kw - 100 Hp
Weigth	300

Head Pump

Model	100 x 65 FSKA
Brand	Ebara
Inlet & outlet	4 x 2.5 Inch
Power pump	75 kw
Speed	3000
Chasing	Cast Iron
Shaft	403 Stainless Steel
Seal	Ceramic/Carbon/NBR
Impeller	Bronze Casting (CAC406/BC60)
Weigth	Weigth





Jockey Pump





The Jockey pump, specified as Type CDMF 5-16, offers the following features:

- Capacity and Head: With a capacity of 5m3/h (22 GPM) at a head of 99 meters, the Jockey pump efficiently maintains water pressure within the fire suppression system.
- Power: It is powered by a 2.2 kW motor operating at 3 Phase and 2950 RPM, ensuring reliable and consistent performance.

This Jockey pump is designed to provide precise control over water pressure, ensuring the readiness and effectiveness of the fire suppression system in critical situations.

Jockey Pump

Туре	CDMF 5-16
Brand	CNP
Cap & Head	5m3/h (22 GPM) 99 m
Power	2,2 kW/3 Phase/2950 RPM





